



विराटनगर महानगरपालिका नगर कार्यपालिकाको कार्यालय

विराटनगर
मोरङ, १ नं. प्रदेश, नेपाल

Biratnagar

क्याटलग/ब्रोसर सपिङ्ग विधिवाट एम्बुलेन्स तथा शववाहन खरिद गर्ने सम्बन्धि सूचना
प्रथम पटक प्रकाशित मिति: २०७९।०८।२८

यस कार्यालयको लागि आवश्यक भएको एम्बुलेन्स तथा शववाहन सार्वजनिक खरिद ऐन, २०६३ (संशोधन सहित) को दफा ८ को उपदफा १(क)(८) तथा सार्वजनिक खरिद नियमावली २०६४ (एघारौँ संशोधन समेत) को नियम ३१ (ख) बमोजिम क्याटलग/ब्रोसर सपिङ्ग विधिवाट त्यस्तो सवारी साधनका उत्पादक कम्पनी वा सो को आधिकारीक विक्रेताहरु बीच मात्र प्रतिस्पर्धा गराउने विधिवाट खरिद गर्नु पर्ने भएकोले सार्वजनिक खरिद नियमावली २०६४ (एघारौँ संशोधन समेत) को नियम ३१ (ख) को उपनियम २ अनुसार देहाय बमोजिमको सवारी साधनका उत्पादक वा आधिकारिक विक्रेताहरुवाट उक्त सवारी साधन विक्रि गर्न नेपाल सरकारको सम्बन्धित निकायवाट प्राप्त भएको अनुमतिपत्र, सोको अद्यावधिक नविकरण भएको पत्र, मुल्य अभिवृद्धी कर दर्ता प्रमाण पत्र, आ.व. २०७८/०७९ सम्मको कर चुक्ता गरेको प्रमाणित कागजात, उक्त शववाहन तथा एम्बुलेन्स सप्लाई गरेको हालसम्मको विस्तृत विवरण, सम्बन्धित कार्य अनुभवको प्रमाणपत्र, उत्पादनको आधिकारीक प्राविधिक स्पेशिफिकेशन, मूल्य (राजश्व छुट समेत), गुणस्तर, तथा सुविधा सहितको विवरण, क्याटलग वा ब्रोसर, संलग्न राखी यो सूचना प्रकाशित भएको मितिले ८ औँ दिन दिनको १२ वजेसम्म यस कार्यालयमा निवेदन दर्ता गराउन सार्वजनिक खरिद नियमावली, २०६४ (एघारौँ संशोधन सहित) को नियम ३१ (ख) बमोजिम आव्हान गरिएको छ । निवेदन पेश गर्ने अन्तिम दिन सार्वजनिक विदा परेमा विदा पछिको कार्यालय खुलेको दिन निवेदन दर्ता गर्न सकिनेछ । थप जानकारी आवश्यक परेमा कार्यालयको वेभ साईट www.biratnagarmun.gov.np वा ०२१-५१४०७० वा ९८५२०२२६६६ मा सम्पर्क राख्न सकिनेछ ।

सिल नं.	साधनको नाम	संक्षिप्त विवरण	कैफियत
	एम्बुलेन्स	4 WD Ambulance , Right Hand Drive, Gross Weight not less than 2400 kg, Power Steering	संक्षिप्त विवरणमा उल्लेख नभएका कुराहरु स्विकृत टेक्निकल स्पेशिफिकेशन बमोजिम हुनेछ। स्विकृत टेक्निकल स्पेशिफिकेशनको लागि कार्यालयमा सम्पर्क गर्न सकिनेछ ।
	शववाहन	2 WD MORTUARY VAN , Right Hand Drive Model, Min 2100 CC to 2400 CC , Ground Clearance minimum 180mm, Power Steering	

BIRATNAGAR METROPOLITAN CITY


OFFICE OF EXECUTIVE
BIRATNAGAR, PROVINCE NO.1
MORANG


Subject:- Technical Specification of Mortuary Van
Site:- BMC, Biratnagar

विराटनगर, मोरंग
नं. प्रदेश, नेपाल

Technical Specification of 2WD MORTUARY VAN		
S.N		DEPARTMENTAL REQUIREMENT
1	General	2WD MORTUARY VAN Right hand Drive Model with two wheel drive, with comfort seating arrangement for patient. Vehicle Wheelbase should be min 3100 mm & Gross vehicle weight of the vehicle not less than 2650 kgs.
2	Engine	Min. 2100 CC to 2400 CC , developing rated Power output min 95 HP and Torque not more than 200 NM at rated RPM
3	Emission Standard	The Emission Standard of the offered vehicle must be compliance with or superior than the applicable standard as prescribed by Nepal Vehicle Mass Emission Standard which is to be certified by Department of Transport Management.
4	Gauges	Fitted with all the gauges, indicators, signals as necessary for efficient operation, functional monitoring, vehicle performance and maintenance that includes (but not Limited to) water temperature, fuel oil pressure, transmission gauge etc. with all standard items of offered model vehicle.
5	Transmission	Manual shift at least five forward and one reverse, floor mounted.
6	Ground clearance	Minimum 180 mm (High ground clearance preferred)
7	Suspension	Suitable for toughest terrain, smooth ride, stable handling and comfortable driving conditions. McPherson struts coil spring/leaf spring with hydraulic Shock absorber.
8	Tyres	Standard Size
9	Steering	Power assisted / Power Steering
10	Brakes	Front-Disc type. Rear-Drum type
	Turning Circle Radius	Turning Circle Radius should not be more than 6.75m
11	Cab	3 doors, 2 doors at front and one rear side all metallic cab with insulated roof, right hand drive (RHD), laminated glass wind screen, wipers, glass windows on doors, through ventilation, comfortable and adjustable seats for driver and passenger, floor mats, two sun visors and two side view mirror and rear view mirror. Rear body to

		be metallic, ambulance type.	
12	Chassis and frame	Steel, Heavy duty high rigidity frame structure suitable for rough road conditions.	
13	Essential Accessories	<ol style="list-style-type: none"> 1. Head light, tail and rear light, reversing-light, and turn signals. 2. Cabin lights 3. Speedometer / odometer 4. Spare wheel with tyre and tube 5. Hydraulic Jack with handle 6. Front Seat belt for driver and co-passenger 7. Strecher 8. Siren 9. Revolving Light 10. Oxygen Cylinder Holder 11. Saline bottle holder 12. Anti skid Floor 13. Side Impact Beam on both Sides 14. Wash Basin 15. Fire Extinguisher. 16. Isolated Cabin 17. Partition for Driver & Patient Compartment Equipped with all accessories in standard model but not limited to the above items. 	
14	Instructions	All signs and instructions in the vehicle shall be in English.	
15	Manuals	A set of tools as required for general maintenance shall be supplied. A) The operator's and owner's Instruction and Maintenance manual one for each vehicle.	
16	Tools	A set of tools, with a tool bag as required for general maintenance shall be supplied with each unit.	
17	Colour	Standard Colour	
18	Warranty	Manufacturer shall provide a minimum of one year warranty after acceptance.	
19	Delivery	Biratnagar Metropoilitan City, Office	

Prepared By: 



BIRATNAGAR METROPOLITAN CITY

OFFICE OF EXECUTIVE

BIRATNAGAR, PROVINCE NO. 1

MORANG

बिराटनगर, नेपाल
नं. प्रवेश

Subject:-Technical Specification of Ambulance 4WD

Site:-BMC,Biratnagar

S. No.	Criteria	Required Specification	Offered Specification
1	General	Hard Top Jeep, 4WD, Right Hand Drive model suitable for driving in Nepal. Gross vehicle weight of the vehicle shall not less than 2400 Kgs and shall have seating capacity for at least driver, co-passenger and patient.	
2	Engine	Diesel Engine, developing maximum rated power output not less than 60 BHP & maximum torque not less than 110 NM at governed RPM, Engine Displacement more than 1000 CC, Engine fully equipped with accessories for efficient full load operation of the vehicle at operating conditions.	
3	Wheel Base	Not more than 2800mm	
4	Overall Length	Not more than 4500mm	
5	Emission Standard	The Emission standard of the vehicle should comply with the latest "Vehicle Mass Emission Standard" of Nepal which is to be certified by Department of Transport Management Nepal.	
6	Gauges	To include water temperature, fuel, oil pressure, transmission gauge etc. as necessary for efficient operation and maintenance.	
7	Clutch	Single Dry Plate	
8	Transmission	Manual shift at 5 forward and one reverse, floor mounted engaged through control at driver seat.	
9	Ground Clearance	Minimum 165 mm	
10	Suspension	Leaf Springs/ coil springs/ torsion bar/ shock absorbers at front and rear.	
11	Tyres	Standard Size	
12	Steering	Power Steering	
13	Brakes	Front Ventilated Disc type, rear disc/ drum type, hydraulic operated on all wheels, and parking brake dual circuit preferred.	
14	Cab	2 side doors and 1 back door, all metallic cab with insulated roof, laminated glass windscreen, front washer and wipers, glass windows on doors, through ventilation, comfortable and adjustable seats for driver and co-passenger. Sun visor, rear view mirror and two side view mirror.	
15	Chassis & Frame	Heavy duty metal frame	
16	Essential Accessories	<ul style="list-style-type: none"> a. Head light, tail and rear light, reversing light and turn signals. b. Cabin Lights. c. Speedometer/ Odometer. d. One Spare wheel with tyre and tube. e. Suitable jack and handle. f. Seat belt for driver and co-driver. g. Flashing Light on top (As per Nepal Standard) h. Anti- Skid floor Equipped with all accessories offered in the standard model but not limited to the above items. 	
17	Emergency Equipment	<ul style="list-style-type: none"> a. Stethoscope b. B. P. Set c. Torch Light d. Tongue Depressure e. IV Drips f. Cannula and Syringes g. ECG Monitor and Oxygen Monitor h. Intubation Set 	

[Handwritten signature]

		<ul style="list-style-type: none">i. Various Intubation Tubes and Laryngeal Tubesj. Nebulizer Setk. Ambu Bagl. Manual Suction Setm. Cervical Collarsn. CPR Boardo. Oxygen Supplyp. Automated External Defibrillator (AED)q. Delivery Setsr. Dressing Setss. Splintst. Catheterizations Setsu. Haemostatic Sets	
18	Others	<ul style="list-style-type: none">a. Washing Equipmentb. Foldable Trolley Cum Stretcherc. Saline Standd. Siren	
19	Instructions	All signs and instructions in the vehicle shall be in English.	
20	Manuals	One Copy of the Operator's and Owner's instructions and maintenance manual in English shall be supplied with the vehicle.	
21	Tools	A set of tools as required for general maintenance shall be supplied.	
22	Colour	2/3 Outer body portion yellow & remaining left/right green & red in Battenberg or chess board design	
23	Proven Performance	The vehicle offered shall be under standard production by the manufacturer for at least five years.	
24	Warranty	Manufacturer shall provide a minimum of One year or 20,000 kms which ever earlier after acceptance.	
25	Delivery	The 1 Unit Ambulance shall be delivered to: Biratnagar Metropolitan City office	

Prepared By.

[Handwritten signature]

